

AIRC



AIRCRAFT LOG

PIPER AIRCRAFT CORPORATION

General Offices at
Lock Haven, Pennsylvania
U. S. A.

N1071X

Aircraft
Registration Number

Part No. 230 715

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			THE ALTIMETER AND STATIC SYSTEM TESTS REQUIRED BY FAR PART 91.170 HAVE BEEN PERFORMED. THE ALTIMETER(S) HAVE BEEN TESTED TO <u>20,000</u> FT. ON (L) <u>4-21-74</u> <u>21A</u> SIGNED <u>James J. Longhi</u> DATE <u>APR 25 1975</u> I HAVE INSPECTED THIS AIRCRAFT AND ISSUED A STANDARD AIRWORTHINESS CERTIFICATE DATED <u>APR 25 1975</u> <u>11A/W</u> <u>James J. Longhi</u> FAA DOA SO-1
APR 25 1975	223			
Total To Carry Forward		223		

201071X

[illegible]

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>60528</u> Date <u>9-3-75</u> Signed <u>Charles H. Venturini</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Venturini</u> Date <u>9-7-75</u> Cert. # <u>60528</u> Time in Service <u>100 hr</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>visual</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>6703</u> Date <u>9-25-75</u>	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	Signed <u>Charles H. Ventner</u> Chuck's Aircraft Service	
Auth. Signature <u>Charles H. Ventner</u>	FAA Certificate No. <u>4554</u> San Carlos Airport, California	
Cert. # <u>10 day</u> Date <u>9-25-75</u>		
Time in Service <u>150</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and its condition is in accordance with current Federal Air Regulations and as found airworthy for return to service. The details of the repair are on the aircraft repair order under work order <u>990766</u> Date <u>10-15-75</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554				
Auth. Signature <u>Charles H. Ventura</u> Signed <u>Charles H. Ventura</u> for Chuck's Aircraft Service				
Cert. # <u>100 hr</u> Date <u>10-15-75</u> <u>1960</u>				
Time in Service <u>1960</u>				
<u>replace spinner.</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>50th</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Venturi</u> Cert # <u>241</u> Date <u>11-6-75</u> Time in Service <u>241 hr</u>	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>6831</u> Date <u>11-6-75</u> Signed <u>Charles H. Venturi</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California	
Replace both main lines - legar compass & clock		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. The aircraft and/or components identified above was repaired and is now as found and is airworthy for details of the repair to be placed on file entry under work order <u>W 6928</u> <u>12-5-75</u> Signed <u>Charles H. Ventura</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>12-5-75</u> Date <u>12-5-75</u> Time in Service <u>0-93 hr</u>				
<u>53 hr</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected	The aircraft and/or component identified above	
in accordance with a <u>COPI</u> inspection	was repaired and inspected in accordance with	
and was determined to be in airworthy condition.	current Federal Air Regulations and was found	
	airworthy for return to service. Pertinent details	
	of the repair are on file at this agency under	
	work order No. <u>6697</u> Date <u>1-2-76</u>	
Chuck's Aircraft Service	Signed <u>Charles H. Hartman</u> for	
FAA APPROVED REPAIR STATION 4554	Chuck's Aircraft Service	
Auth. Signature <u>Charles H. Hartman</u>	FAA Certificate No. <u>4554</u>	
Cert. # <u>Do dup</u> Date <u>1-6-76</u>	San Carlos Airport, California	
Time in Service <u>342⁰⁰</u>		
<u>AD 95-08-09 NA by Ser H</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in <u>airworthy condition</u>.				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4514 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>6064</u> Date <u>1-20-76</u> Time in Service <u>392 hr</u>				
2-12-76	Tank	445		The aircraft and/or component identified above was repaired and in accordance with current Federal Aviation Regulations was found airworthy for flight. Details of the repair are available in the log entry under work order N. <u>7039</u> Date <u>1-20-76</u> Signed <u>Charles H. Ventura</u> for Chuck's FAA Certificate # San Carlos, Arizona
				5042 rings completed rep lube both main fives
Total To Carry Forward				<u>Charles H. Ventura</u> APR 15 1980

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100-HR</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. pertinent details of the repair are on file at this agency under work order No. <u>7354</u> Date <u>3-4-76</u>	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	Signed <u>Charles H. Ventum</u> Chuck's Aircraft Service	
Auth. Signature <u>Charles H. Ventum</u> Cert. # <u>400</u> Date <u>3-4-76</u>	Signed <u>Charles H. Ventum</u> Chuck's Aircraft Service FAA Certificate No. 4554	
Time in Service <u>4900</u>	San Carlos Airport, California	
<u>service more airt - replace more gear bumper</u> <u>replace crutled stab trim hinges</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>Boeing</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and current Federal Airworthiness Code was found and was found to be in airworthy condition. The repair details of the repair are as follows: <u>work order N 7403 Date 3-23-76</u> Signed <u>Charles H. Vinton</u> for Chuck's Aircraft Service FAA Certificate No. <u>4554</u> <u>San Carlos Airport, California</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Vinton</u> Cert. # <u>Co 4554</u> Date <u>3-23-76</u> Time in Service <u>34603</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>Co 1100</u> Date <u>4-20-76</u> Time in Service <u>5800</u>	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7482</u> Date <u>4-20-76</u> Signed <u>Charles H. Ventura</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California	
Paint walk way - replace door stop, secure nose strut, replace subd and hinges.		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
I certify that this aircraft has been inspected in accordance with a <u>5047</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7537</u> Date <u>5-5-76</u> Signed <u>Charles H. Venturini</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Venturini</u> Cert. # <u>C-4554</u> Date <u>5-5-76</u> Time in Service <u>10/14/76</u>				
Replaced L4 new LT & landing LT - replaced nose tire & installed repaired nose strg-				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100%</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7628</u> Date <u>5-27-76</u>	Signed <u>Charles H. Vanden</u> for	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	Chuck's Aircraft Service	
Auth. Signature <u>Charles H. Vanden</u> Cert. # <u>Co. 100</u> Date <u>5-27-76</u>	FAA Certificate No. 4554	
Time in Service <u>04700</u>	San Carlos Airport, California	
<u>replace both main joles & RH strakes</u>		
<u>OK AD76-07-12 by [signature]</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward → I certify that this aircraft has been inspected in accordance with a <u>5081</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles Ventura</u> Cert. # <u>6-17-76</u> Date <u>6-17-76</u> Time in Service <u>786.01</u>				
The aircraft and/or component identified above was repaired and removed in accordance with current Federal Aviation Regulations. It details airworthy for repair and on file at this agency under work order No. <u>7703</u> Date <u>6-17-76</u> Signed <u>Chuck Ventura</u> for Chuck's Aircraft Service FAA Certificate No. <u>4554</u> San Carlos Airport, California				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>visual</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>07767</u> Date <u>7-8-76</u>	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	Signed <u>Mike Engle</u> Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California	
Auth. Signature <u>Mike Engle</u> Cert. # <u>5588</u> Date <u>7-8-76</u> Time in Service <u>784</u>		
<u>Replace RH tire</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward 			
I certify that this aircraft has been inspected <u>50287</u> inspection The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7816</u> Date <u>7-27-76</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles W. Martin</u> Signed <u>Charles W. Martin</u> for Chuck's Aircraft Service Cert. # <u>8240</u> Date <u>7-27-76</u> FAA Certificate No. 4554 Time in Service <u>8240</u> San Carlos Airport, California				
<u>Survey compass - replace 1st part, broken</u> <u>Charles W. Martin</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected <u>100%</u> inspection in accordance with a <u>100%</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>CP 1000</u> Date <u>8-16-76</u> Time in Service <u>8460</u> <u>repaired as per</u> — <u>permit</u>	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7891</u> Date <u>5-16-76</u> Signed <u>Charles H. Ventura</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California <u>very well</u>	

Maintenance

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>50872</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>9-3-76</u> Date <u>9-3-76</u> Time in Service <u>945 hr</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>9-3-76</u> Date <u>9-3-76</u> Time in Service <u>945 hr</u>			Signed <u>Charles H. Ventura</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>7957</u> Date <u>9-3-76</u>
replace 110 in head peg			replace brace on lany	
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100%</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	work order No. <u>9020</u> Date <u>9-23-76</u>	
Auth. Signature <u>Charles H. Ventura</u>	Signed <u>Charles H. Ventura</u> for	
Cert. # <u>611 abmg</u> Date <u>9-23-76</u>	Chuck's Aircraft Service FAA Certificate No. <u>4554</u>	
Time in Service <u>976</u> or <u>hrs</u>	San Carlos Airport, California	
<u>replace nose tire - replace 2x brakes</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>SOA</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>8078</u> Date <u>10-12-76</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554				
Auth. Signature <u>Charles A. Vinton</u> Signed <u>Charles A. Vinton</u> for Cert. # <u>10-12-76</u> Date <u>10-12-76</u> Chuck's Aircraft Service Time in Service <u>1039</u> FAA Certificate No. 4554 San Carlos Airport, California				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100%</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	work order No. <u>8110</u> Date <u>10-22-76</u>	
Auth. Signature <u>Charles W. Venturi</u>	Signed <u>Charles W. Venturi</u> for Chuck's Aircraft Service	
Cert. # <u>10-22-76</u>	FAA Certificate No. <u>4554</u>	
Time in Service <u>1070 hr</u>	San Carlos Airport, California	

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>5040</u> inspection and was determined to be in <u>airworthy condition</u>. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Vinton</u> Cert. # <u>26 days</u> Date <u>11-1-74</u> Time in Service <u>1120</u>				
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Further details of the repair are on file at this agency under work order No. <u>8133</u> Date <u>11-1-74</u> Signed <u>Charles H. Vinton</u> Chuck's Aircraft Service FAA Certificate No. <u>4554</u> San Carlos Airport, California				
<u>replaced DG ser# 377410</u> <u>replaced RH tire + brakes - replaced landing gear</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>for alt</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles Venturini</u> Date <u>11-16-76</u> Cert. # <u>115600</u> Time in Service <u>115600</u>	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>8189</u> Date <u>11-16-76</u> Signed <u>Charles Venturini</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California	
repair front cowl - replace nose gear bumper		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected <u>50%</u> the aircraft and/or component identified above / in accordance with a <u>50%</u> inspection was repaired and inspected in accordance with and was determined to be in airworthy condition. Current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>82-40</u> Date <u>12-7-76</u> Chuck's Aircraft Service FAA APPROVED REPAIR STATION 1554 Auth. Signature <u>Charles W. Winton</u> Signed <u>Charles W. Winton</u> Cert. # <u>120702</u> Date <u>12-7-76</u> Chuck's Aircraft Service Time in Service <u>120702</u> FAA Certificate No. <u>4554</u> <u>San Carlos Airport, California</u>				
	<u>Repair R4 file</u>			
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100%</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	work order No. <u>8308</u> Date <u>12-21-76</u>	
Auth. Signature <u>Charles H. Vukobratovic</u>	Signed <u>Charles H. Vukobratovic</u> for	
Cert. # <u>124475</u>	Chuck's Aircraft Service FAA Certificate No. 4554	
Time In Service <u>1240</u>	San Carlos Airport, California	
<u>App line from Coordinator - see # 8154</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected <u>The aircraft and/or component identified above</u> in accordance with a <u>50101</u> inspection <u>was repaired and inspected in accordance with current Federal Air Regulations and was found</u> and was determined to be in <u>airworthy condition</u> <u>airworthy for return to service. Pertinent details of the repair are on file at this agency under</u> <u>work order No. 7418</u> Date <u>1-26-77</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventur</u> Signed <u>Chuck's Aircraft Service</u> Cert. # <u>1290</u> Date <u>1-26-77</u> FAA Certificate No. 4554 Time in Service <u>1290</u> San Carlos Airport, California				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>Visual</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>8600</u> Date <u>3-17-72</u> Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554	Signed: <u>[Signature]</u> Chuck's Aircraft Service	
Auth. Signature: <u>[Signature]</u> Cert. # <u>13352</u> Date <u>3-17-72</u>	FAA Certificate No. <u>4554</u> San Carlos Airport, California	
Time in Service <u>13352</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>thru</u> inspection and was determined to be in airworthy condition. work order No. <u>8600</u> Date <u>3-21-77</u> Signed <u>[Signature]</u> for Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Cert. # <u>Cedrop</u> Date <u>3-21-77</u> Time in Service <u>1335</u> hrs The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. pertinent details of the repair are on file at this agency under Signed <u>[Signature]</u> Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California				
Eng Replaced at this time 0320 E3D ser # <u>L 29767-27A</u> Replace RT battery, reseal nose strut -				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected <u>SOHR</u> inspection current Federal Air Regulations and was found in accordance with a <u>SOHR</u> inspection current Federal Air Regulations and was found and was determined to be in airworthy condition for return to service. Pertinent condition of the repair are on file at this agency under		
Chuck's Aircraft Service	work order No. <u>8687</u> Date <u>4-12-77</u>	
FAA APPROVED REPAIR STATION 4554	Signed <u>Charles W. Link</u> - for	
Auth. Signature <u>Charles W. Link</u>	Chuck's Aircraft Service	
Cert. # <u>C-12-77</u>	FAA Certificate No. <u>4554</u>	
Time in Service <u>1373</u> or	San Carlos Airport, California	

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date Brought Forward →	Total		
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles H. Ventura</u> Cert. # <u>Co 14390</u> Date <u>5-12-77</u> Time in Service <u>14390</u> <u>replace beacon in STOP - calibration</u> <u>AD 77-01-01 due before 1480 Hrs.</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected. The aircraft and/or component identified above in accordance with a <u>50th</u> inspection was repaired and inspected in accordance with and was determined to be in airworthy con- current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>8882</u> Date <u>6-7-77</u> Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Signed <u>[Signature]</u> for Chuck's Aircraft Service Cert. # <u>147700</u> Date <u>6-7-77</u> FAA Certificate No. <u>4554</u> Time In Service <u>147700</u> San Carlos Airport, California <u>Engine oil cooler support bracket & nose</u> <u>hanger support, AD77-01-01 calibration</u> <u>check with tolerance 0 + below -</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
I certify that the aircraft has been inspected The aircraft and/or component identified above in accordance with a <u>100 hr</u> inspection was repaired and inspected in accordance with and was determined to be in airworthy condition. current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>08992</u> Date <u>July 1-77</u>				
Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554				
Auth. Signature <u>[Signature]</u> Cert. # <u>1525</u> Time in Service <u>1525</u>	Date <u>July 1-77</u> Signed <u>Chuck's Aircraft Service</u> FAA Certificate No. <u>4554</u> San Carlos Airport, California			
<u>[Signature]</u> <u>[Signature]</u> <u>[Signature]</u>				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected <u>The aircraft and/or component identified above</u> in accordance with a <u>post</u> inspection was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>9128</u> Date <u>8-5-77</u> Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Charles Ventum</u> Signed <u>Charles Ventum</u> for Chuck's Aircraft Service Cert. # <u>06489</u> Date <u>8-5-77</u> FAA Certificate No. <u>4554</u> Time in Service <u>1620</u> San Carlos Airport, California <u>replace both main tires + gear bumper support</u>		

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>9226</u> Date <u>8-26-72</u> Signed <u>Chickston</u> for Chuck's Aircraft Service FAA Certificate No. 4554 <u>Perk 1670</u> San Carlos Airport, California				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition.	The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under	
Chuck's Aircraft Service FAA APPROVED REPAIR STATION: 4554	work order No. <u>9318</u> Date <u>9-15-77</u>	
Auth. Signature <u>Chuck's Aircraft Service</u>	Signed <u>[Signature]</u> for	
Cert. # <u>10 hr</u> Date <u>9-15-77</u>	Chuck's Aircraft Service FAA Certificate No. <u>4554</u>	
Time in Service <u>1720</u>	San Carlos Airport, California	
<u>Beacon map</u>		

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>160 hr</u> inspection and was determined to be in airworthy condition. The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>9469</u> Date <u>10-25-77</u> Chuck's Aircraft Service FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Cert. # <u>[Signature]</u> Date <u>10-25-77</u> Time in Service <u>1817 hr</u> Signed <u>[Signature]</u> for Chuck's Aircraft Service FAA Certificate No. 4554 San Carlos Airport, California <u>[Signature]</u> 76-07-12 by <u>[Signature]</u> OK				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>2546</u> Date <u>11-14-77</u> for <u>Chuck's Aircraft Service</u> Signed <u>Chuck's Aircraft Service</u> Chuck 1558 FAA Certificate No. 4554 San Carlos Airport, California	Repairs R4 tire & brakes - Complete to H.R. wing	

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Inc. FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>Chuck Venturi</u> Date <u>12-15-77</u> Sent # <u>to dump</u> Date <u>12-15-77</u> Time in Service <u>1974</u>				
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>9687</u> Date <u>12-15-77</u> Signed <u>Chuck Venturi</u> for Chuck's Aircraft Inc. FAA Certificate No. 4554 San Carlos Airport, California				
repair parking brake AD 76-07-12 by ramp AD 77-23-03 NA				
Total To Carry Forward				

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>General</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Inc. FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>W. A. Martin</u> Date <u>3-14-78</u> Cert # <u>1158329</u> Date <u>3-14-78</u> Time in Service <u>2011.0 hrs</u> The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>9987</u> Date <u>3-14-78</u> Signed <u>W. A. Martin</u> for Chuck's Aircraft Inc. FAA Certificate No. 4554 San Carlos Airport, California				
<u>64-1176-07-12 OK</u>				
Total To Carry Forward				

Registration No. _____

Remarks	Signature	Certificate No.
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>10176</u> Date <u>4-12-78</u>	<i>[Signature]</i>	
Signed <u><i>[Signature]</i></u> for Chuck's Aircraft Inc. FAA Certificate No. <u>4554</u> <u>Tech 20610</u> San Carlos Airport, California		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Inc. FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Cert. # <u>CA 100</u> Date <u>5-15-78</u> Time in Service <u>2411 hr</u> replace Rpt trip + all books, plus AD 76-07-12 OK by me				
The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under work order No. <u>10260</u> Date <u>5-15-78</u> Signed <u>[Signature]</u> for Chuck's Aircraft Inc. FAA Certificate No. 4554 San Carlos Airport, California				
Total To Carry Forward				

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected in accordance with a <u>1901H</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Inc. <u>2010516</u> FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Cert. # <u>2-6-78</u> Date <u>2-6-78</u> Time in Service <u>2011</u>				
Total To Carry Forward				

Chuck's Aircraft Inc. 2010516
FAA APPROVED REPAIR STATION 4554
Auth. Signature *[Signature]*
Cert. # *1010* Date *7-6-78*
Time in Service *2110*

**Total To
Carry Forward**

[illegible]

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
I certify that this aircraft has been inspected In accordance with a <u>100 hr</u> inspection and was determined to be in airworthy condition. Chuck's Aircraft Inc. <u>91010819</u> FAA APPROVED REPAIR STATION 4554 Auth. Signature <u>[Signature]</u> Cert. # <u>[Signature]</u> Date <u>8-31-78</u> Time in Service <u>26307</u>				
				ELT batt date Dec 1977
				replace ELT batt -
				fuel 47776-07-12 o/c -
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I certify that this aircraft has been inspected in accordance with a <u>50th</u> inspection and was determined to be in airworthy condition.		
Chuck's Aircraft Inc. FAA APPROVED REPAIR STATION 4554		
Auth. Signature <u>[Signature]</u>		
Cert. # <u>Co. 1199</u> Date <u>9-25-78</u>		
Time in Service <u>2360</u>		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
11/19/78	NANCO	AT 50A	CHGCS	1/A/W PART 43
	APGWOIX	F AS	REQUIREDO	BY PART
	91.177		SAN. CARLOS	AVIOWICS
			FAA APPROVED	REP-ST #902-29
			Q. C. C. C. C.	A2254605
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
I CERTIFY THAT THIS <u>11-2-78</u> HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>11-2-78</u> HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. TOTAL TIME : . TACH. TIME <u>2021</u> ! <u>John R. Thomas</u> <u>2173411</u> <u>11-2-78</u> AUTHORIZED SIGNATURE LICENSE NO. DATE 4-1-79 I certify that this airplane has been inspected in accordance with an annual inspection and found to be in an airworthy condition. • E.L.T. Removed • Del controls locked • 76-07-12 checked 772523.22 <u>John A. Thomas, AEP 186000</u> 181		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		

Brought Forward →

1-19-81

I certify that this

has been inspected in accordance with a 100 hr inspection

then and was determined to be in Air Worthy condition.

T. TIME 2206.6 JOB No.

NAME and NUMBER

DATE 1-19-81

① H/E Service change

② H/D 149-22.2 & 76-7-12

③ H/D by copy

④ Reminders of AD's on

that is. read of this log.

⑤ EIT. plus read in the air

time of copy of instruction.

⑥ 50 mi. radius of airport.

⑦ 50 mi. radius of airport.

⑧ 50 mi. radius of airport.

⑨ 50 mi. radius of airport.

⑩ 50 mi. radius of airport.

⑪ 50 mi. radius of airport.

I certify that this aircraft has been inspected

in accordance with a

Annual

inspection on

1/19/81

was determined to be in airworthy condition

all ad bulletins listed in rear

Reg 2

cpd. with time

2706.4

Authorized Signature

A & E 475170 IA

Total To
Carry Forward

Registration No. _____

and Remarks

Signature

Certificate No.

7/17/81 MECHANIC Demario M. Gaudin NO. 0875

Installed new oil cooler p/n 18622-00

W.O. 0875 INSPECTOR Edward J. G. L. NO. 61

FAA APPROVED REPAIR STATION #402-37

7/17/81

GOLDEN GATE PAPER

San Carlos, Calif. 94070

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
10-3-83	Brought Forward → Tach 2736	77	2736	Page 2736,
	Clear AD 65-33-282 by inspection, due in 10 days.			
	Clear AD 36-7-132 by operation, due in 10 days.			
	Completed annual inspection this date.			
	I certify that this aircraft will be in airworthy condition when the following work is complete.			
	Replace both outboard ribbons			
	hinges. Replace and adjust elevator trim down and			
	screen. Check for fuel flow 579366808 IA. END			
Total To Carry Forward				

Registration No. _____

and Remarks

Signature

Certificate No.

Date 10/15/83 Trach 2736 remove and replace
outboard Airleerair hinges used new
parts. Remove and replace windshield
remove and replace Trim cable, screw
jack and Drum AFT Trim cable —
SMILE YGL A+P 566134326 — End —

AS kept signed A+P

SS00 R

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
5/19/84	Installed	ARC AT 3200	New Com,	
	Navco MSTR12	member bands	receiver,	
	ARC R443B	Ghideskye	Receiver and	ARC
	ENSASB	VOR-LOC-G/S	indicator, Aircraft	
	test Aloua	TAW	FAM 91.117 (b)	
	Aircraft	weight + balance	data adjusted,	
	Thy 13 ready Ast try.			
Total To Carry Forward				

L. A. C. Avionics

J. A. A. Certified Repair Sta.

6022

Registration No. _____

and Remarks

Signature

Certificate No.

5-19-84

The altimeter, static system and transponder

tests and inspections required by FAR 91.171 and

FAR 91.172 have been performed and found

to meet specs. as per FAR 43 Appendix E & F.

Altimeter S/N D3181 Transponder S/N 34520

Altimeter tested to 20,000 & Inspector Tracy E. [Signature]

W/O# 4457

LAC, [Signature], Inc.

FAA Repair Station 60022

United Instruments Altimeter

Pressure 150 + Transponder

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
9-17-84	Replaced R/H main fire tube - replaced R/H Brake linings			
DATE <u>9-17-84</u> HODDGE <u>34114</u> ENG TIME <u>2035</u> W.O.# <u>2035</u> THE MAINTENANCE OPERATIONS DESCRIBED ABOVE WERE INSPECTED AND, WITH RESPECT TO THE WORK PERFORMED, THE AIRCRAFT AND/OR COMPONENT IS APPROVED FOR RETURN TO SERVICE. DETAILS ARE ON FILE AT THIS AGENCY UNDER ABOVE REFERENCED WORKORDER. SIGNED <u>[Signature]</u> FOR BECKETT AVIATION — REPAIR STATION #1191-1				
Total To Carry Forward				

Registration No. _____

and Remarks

Signature

Certificate No.

LOV 84 TACH 2806.09 TOTAL TIME 2806.09

ANNUAL INSPECTION REPLACE NOSE WHEEL TIRE

comply with AD 01-22-23 BY INSPECTOR NO CRACKS FOUND

LOVE AVIATION

220 Airport Road
Cloverdale, CA 95425

Inspected in accordance with current regulations of
the FAA and is approved for return to service.

Pertinent details are on file at this repair sta.

W.O. no. 185 date 1 NOV 84

for 5

Signed

Love Aviation, FAA Repair Sta. No. 464-72

AIRCRAFT LOG

[illegible]

Registration No. _____

and Remarks

Signature

Certificate No.

8-20-85 opened all panels inspected
all cables & pulleys, replaced many with the
left ~~right~~ brake cables, ~~right~~ main
line, back 2908 JT 2908

LOVE AVIATION

220 Airport Road

Cloverdale, CA 95425

Inspected in accordance with current regulations of
the FAA and is approved for return to service.

Ames 11/100 hr
Pertinent details are on file at this repair sta.

W.O. no. 183

date

8-20-85

Signed

Wendy

Wendy

for

Love Aviation, FAA Repair Sta. No. 464-72

AIRCRAFT LOG

[illegible]

Registration No. _____

and Remarks

Signature

Certificate No.

I certify that this aircraft has been inspected
in accordance with a 100 hr / ANNUAL inspection
and was determined to be in airworthy condition.

CHUCK'S AIRCRAFT INC. 200 5738

FMA APPROVED REPAIR STATION 4554

Auth. Signature

Charles Sturken

Exp. #

3-25-88

Date

Time to Service

3007

check 76-07-12, 84-26-02 bracket

with installed, AD 69-22-02 wing

replace 1 nose leg - Heylets

gear and dampener

all brakes, replace oil gear switch, RCT due Nov 1987

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
8/15/86	Brought Forward →	TACH TIME 3034.5		
craft because of prop strike on a fuel truck. Engine was shipped to and repaired by C.R.S. #4554. Details in Engine log book, pg. 13. Installed new prop, Sen servich 74DM6-0-58, S/N A52388. Installed new Rebat R-35 battery and positive battery cable. Repaired alternator bit-pot cable in engine compartment, Air conditioner compressor and pulley bracket removed, -24.0 lbs from Sta. 15. Aircraft run-up and test flown good. Approved for return to service. Dawson, Malinda JAS2721759S				
W.O. #s	1652 + 1693			
Total To Carry Forward				

SANTA MARIA AVIATION
3427 Skyway Drive
Santa Maria, CA 93459

Registration No. 1071X

and Remarks

Signature

Certificate No.

9-2-86

The altimeter, static system and transponder tests and inspections required by FAR 91.171 and

FAR 91.172 have been performed and found

to meet specs. as per FAR 43 Appendix E & F.

Altimeter S/N 1348 Transponder S/N 34570

Altimeter tested to 3000 ft. Inspector [Signature]

W/O 5628

LAC. AERIALS, INC.

UNITED INSTRUMENTS ALTIMETER

FMA Repair Station K6022

WAPCO K750A TRANSPONDER

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
10-13-84	3064.7	Installed		Copper Electrical
Cables	1 in accordance with	BoGwart		
Aviation	Instructions listed on MEL SA 3531WH			
		Prop 355827590.		
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
22 Apr 87 TACH 319.77 Required nose gear support by welding. Repaired exhaust pipe connecting #2 & #3 cyl. Changed both main tires & all brake pads. Repaired right brake caliper & bled system. Installed CAT & EGT per manual. Instructions		
220 Airport Road Cloverdale, CA 95425		
Inspected in accordance with current regulations of the FAA and is approved by returning to service. Pertinent details are on file at this repair sta. W.O. no. 274 date 22 Apr 87 Signed <i>Thurston MacKinnon</i> for Love Aviation, FAA Repair Sta. No. 464-72		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
6-26-87	Brought Forward →	3132:3	3132:3	INSTALLED NEW ACT. BEER φ 1000 Pulling. with H. J. D. Jones 18102557AEP
Total To Carry Forward				

Registration No. _____

and Remarks

Signature

Certificate No.

4-15-88 Tach. 31888.8 Removed All Panels for Inspr All AD's
Complied With To date, Repacked W Bearings Replaced ELT Batt.

LOVE AVIATION

220 Airport Road

Cloverdale, CA 95425

Inspected in accordance with current regulations of
the FAA and approved for return to service.

Annual 1100 hr
Pertinent details are on file at this repair sta.

W.O. no. 313 date 4-15-88

Signed Edward Padilla for

Love Aviation, FAA Repair Sta. No. 464-72

Date _____

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →				
		8-17-88	N1071X	
The altimeter, static system and transponder tests and inspections required by FAR 91.171 and FAR 91.172 have been performed and found to meet specs. as per FAR 43 Appendix E & F. Altimeter S/N <u>D3181</u> Transponder S/N <u>34520</u> Altimeter tested to <u>20,000</u> ft. Inspector <u>[Signature]</u> W/O# <u>10817</u> L.A.C. Avionics, Inc. FAA Repair Station #6022				
Total To Carry Forward				

Registration No. _____

and Remarks

Signature

Certificate No.

817-88

N1071X

THE PRESSURE ALTITUDE REPORTER AND SYSTEM
TEST AND INSPECTION REQUIRED BY FAR 91.171
HAVE BEEN PERFORMED AND FOUND TO MEET
SPECS. PER FAR 43 APPENDIX E AND FAR 91.36
ENCODER S/N 34266 INSPECTOR [Signature]
W/O # 10817 LAC. AVONICS, INC.
FAA REPAIR STATION #5022

AIRCRAFT LOG

[illegible]

Registration No. 1071K

and Remarks

Date 3-2-89 Tach 33336

I certify that this aircraft has been in-

spected in accordance with an Annual

inspection and was determined to be in

excellent condition

Total Time Airframe 33336

Total Time Engine 302

Total Time Propeller SMOH

~~Master S. Fletcher~~

Asst. PIC 5040 TA

Tach 33336 3-2-89. Removed

air conditioning system,

sea censed w/ + balance

following page.

Signature

Tach 33336, 3-2-89

Certificate No.

Installed new elevator tip fairings,

new fuel and oil hoses by Sacramento

Sky Ranch, new shimmy dampers,

new door hinge pins, patched crack

in upper wing skin per AC 43.13

recommendations, serviced nose gear strut,

Complied with AD 69-22-02 by inspecting

control wheels, installed new six-ply

tires, new brake discs and linings,

bleed brakes, new windshields left and right,

Master S. Fletcher ATP 551298677

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
3-3-89	Brought Forward →	333C		
	New weight and	Blank		
	Empty weight	1401.25		
	Gross weight	2150.00		
	Useful load	748.75		
	C/G	86.44		
	Steve Picatti	APP 57058702C		
5/18/89				
	EIT removed for repair, Reconn 88, Barnett M			
	3505687, End.			
Total To Carry Forward				

Registration No. _____

and Remarks



Signature

Certificate No.

E/I new Battery installed

Aircrete cockpit switch disconnected

[Signature] A+P55129807

Date 6-12-89 Tach. 3434

Specify that this A/C has been inspected in accordance with an EDW inspection and was determined to be in satisfactory condition.

INSPECTED AND LUBRICATED AIRFRAME
INSTALLED CENTRAL VACUUM FILTER D-9-18-1

Total Time Airframe 3434

Total Time Engine 400

Total Time Propeller 36221-4944

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
7-6-89	Brought Forward →	3484	3484	Replaced alternator
	Bracket	PN 79589-05		with new alternator
	Bracket	PN 79886-11		per Piper Aircraft Co.
	recomendations.			Mattie Hill A+ P551299677
	Date <u>7/28/89</u>	Each <u>3528</u>		INSPECTED AND LOCATED AIRFRAME
	I certify that this <u>A/E</u> has been in-			INSULATED B-3-5-1 vacuum reg. filter
	Spected in accordance with an <u>100hr.</u>			replaced capacitors in cooling per
	Inspection and was determined to be in			AC 43.13 replaced muffler replaced
	airworthy condition			left one with retread 6.00x6
	Total Time Airframe	<u>3528</u>		SN B3E6515 no. 89134 replaced
	Total Time Engine	<u>494</u>		alternator with overhauled alt.
	Total Time Propeller	<u>582-27-4844</u>		P/N ALY409 SN/58226 W/B A-68266
				by Aeroelectric replaced carb
				heat cable fastener, P/N 70371002
				and 70371003 ENO.
Total To				
Carry Forward				

Registration No. _____

end Remarks	Signature	Certificate No.
9-25-89 Installed servicable exhaust stack P/N 63726-03 by Knisley welding w038294. Installed rethread 6.00x6 fire by Hawkins ALC Tire SIN AIE 4357 on left right gear and greased wheel bearings. McCall toll A+P551299677		
10-20-89 Installed Gill G-35 battery. Tad3633 McCall toll A+P551299677		

NOTES

Aircraft, Engine, Propeller, or Appliance/Comp. Make Boeing

Model PA 28

Ser. No.

7525274

AD Number	Subject	Date and Hours of Compliance	Method of Compliance	ONE-TIME	RECURRING	Next Comp. Due Date/Hours	Authorized Sign and Number
75-24-02	SEAB	NA	SRP #				4553
75-08-03	Fuel Steamer	NA	SRP #				"
75-08-09	Diesel pump h/c	NA	Sen #				"
76-177	See above	5-76 12-76	See above	X			
77-01-01	Placed gage		placed. call.	X		1490-	

UAE

BY:

11-21-74

✓

SECTION / TOP

1905

1

1

1905

1905

1905 or Form 1-21

since under the law
stated States

1905 are

any foreign country
has been filed
1905 and

1905 should be

1905

1905

1905

1905